

# Reconstrucción de la base de cráneo anterior

Es fundamental para evitar la [fístula de líquido cefalorraquídeo](#) ya que su existencia es responsable de una [meningitis](#) en un tercio de los pacientes.

## Etiología

Patología congénita

Tumores

Traumatismo

## Objetivos

Cierre del defecto de la [duramadre](#) con el fin de prevenir la fístula de líquido cefalorraquídeo.

Cobertura del defecto con tejido bien vascularizado.

Reconstrucción de las paredes faríngeas

Obliteración del [seno paranasal](#)

Prevención del [encefalocеле](#)<sup>1)</sup>.

## Métodos

Sellante de fibrina

flap pericraneal

<sup>1)</sup>

Sekhar L N, Schramm V L, Jr, Jones N F. In: Sekhar LN, Schramm VL Jr, editor. Tumors of the Cranial Base: Diagnosis and Treatment. Mount Kisko, NY: Futura; 1987. Operative management of large neoplasms of the lateral and posterior cranial base.

From:

<http://www.neurocirugiacontemporanea.com/> - Neurocirugía Contemporánea ISSN 1988-2661

Permanent link:

[http://www.neurocirugiacontemporanea.com/doku.php?id=reconstrucion\\_de\\_la\\_base\\_de\\_craneo\\_anterior](http://www.neurocirugiacontemporanea.com/doku.php?id=reconstrucion_de_la_base_de_craneo_anterior)

Last update: 2019/09/26 22:29

