

# Tratamiento de la hemorragia cerebral

Resolución de la hipertensión arterial si la hubiere.

Corregir la discrasia sanguínea

ver [Tratamiento quirúrgico de la hemorragia cerebral](#).

Hemorragia Intracerebral en recién nacido.

La prueba diagnóstica de elección:

Ultrasonidos.

TAC indicado en los casos en que los hallazgos de ultrasonidos son dudosos (Variaciones anatómicas...)

Indicación quirúrgica.-

Sólo se evacuarán las infratentoriales que produzcan compresión del mesencéfalo con ventriculomegalia progresiva y que no responden a tratamiento médico.

Las supratentoriales que produzcan ventriculomegalia progresiva y que no respondan con tratamiento médico se tratarán con punción ventricular. En el caso de no resolverse se tratarán con shunt ventrículo-peritoneal.

## Monitorización

La monitorización de la PbtO<sub>2</sub>, puede ser utilizado para identificar los objetivos de CPP para la oxigenación óptima del tejido cerebral.

En los pacientes que no se monitorizan de forma multimodalidad, el mantenimiento de la CPP > 80 mmHg puede reducir el riesgo de hipoxia cerebral tisular.

## Pronóstico

Solo un 20 % podrán realizar una vida independiente 6 meses después.

El 50 % fallecen en el primer mes.

Los volúmenes de >60 cm<sup>3</sup> tienen una mortalidad del 90 %

## Conclusiones

No esta clara la estrategia a seguir.

Estudios mal diseñados.

Deben de agruparse en Localización, tamaño, GCS.

No agrupar sistemáticamente todos los tipos de intervención quirúrgica.

Hasta el momento, ninguna intervención en particular es claramente superior.

Una revisión de los estudios aleatorios disponibles, sin embargo indica que las opciones menos invasivas puedan mostrar resultados mejores.

Esto puede ser en particular verdadero en pacientes jóvenes con signos de deterioro neurológico reciente.

Reducir el volumen de hematoma permanece como pilar básico.

Las futuras investigaciones e intervenciones van indudablemente en esta dirección.

Este interés en identificar mecanismos bioquímicos refleja el aumento reciente de publicaciones de investigación de mecanismos celulares y moleculares

Mientras tanto, la responsabilidad permanece sobre el clínico para hacer el juicio terapéutico lo mejor posible.

---

## Tratamiento

Ingreso en una [unidad de cuidados intensivos](#).

Soporte ventilatorio cuando esté indicado

Control de la presión arterial

Revertir cualquier coagulopatía preexistente

Monitorización de la presión intracraneal para ciertos casos

Osmoterapia

Control de la temperatura

Profilaxis de las convulsiones

Tratamiento de la hiperglucemia

Soporte nutricional

Resolución de la hipertensión arterial si la hubiere.

Corregir la discrasia sanguínea

Antiepilépticos

## Quirúrgico

La evacuación del hematoma quirúrgico no mejora los resultados es controvertido.

El paciente ideal para una intervención quirúrgica:

1. Paciente que sufre deterioro neurológico de inicio reciente. 2. GCS entre 6 y 10 3. Edad igual o menor de 50 años. 4. Volumen de sangre entre 10 a 30 cc. con marcado efecto masa. 5. Localización lobar en hemisferio no dominante 6. Coagulación normal

Paciente con mal pronóstico a pesar de cirugía:

1.Deterioro que persiste 24 horas o más. 2.GCS menor de 5 3.Edad elevada (> 75 años) o enfermedad de base importante 4.Volumen de sangre mayor de 30 cc. 5.Hemorragia masiva en hemisferio dominante o área elocuente. 6.Coagulopatía severa

Hemorragia Intracerebral en recién nacido.

La prueba diagnóstica de elección:

Ultrasonidos.

TAC indicado en los casos en que los hallazgos de ultrasonidos son dudosos (Variaciones anatómicas...)

Indicación quirúrgica.-

Sólo se evacuarán las infratentoriales que produzcan compresión del mesencéfalo con ventriculomegalia progresiva y que no responden a tratamiento médico.

Las supratentoriales que produzcan ventriculomegalia progresiva y que no respondan con tratamiento médico se tratarán con punción ventricular. En el caso de no resolverse se tratarán con shunt ventrículo-peritoneal.

## Experimentales

Los tratamientos experimentales prometedores incluyen actualmente el tratamiento con hemostático, la lisis del coágulo intraventricular con trombolíticos, [pioglitazona](#), la modulación de la temperatura, y la deferoxamina para reducir la inflamación perihematoma mediado por hierro y la lesión tisular.

## Pronóstico

La fiebre y el crecimiento del hematoma son predictores independientes de mal pronóstico.

Se necesitan investigaciones futuras para estudiar los mecanismos de este fenómeno y analizar si los protocolos iniciales de modulación de la temperatura se asocia con mejores resultados (Rincon y col., 2012).

Solo un 20 % podrán realizar una vida independiente 6 meses después.

El 50 % fallecen en el primer mes.

Los volúmenes de >60 cm<sup>3</sup> tienen una mortalidad del 90 %

## Escalas pronósticas

El pronóstico final de los pacientes, no depende de una variable aislada, sino de la conjunción de varias; por ello se han intentado crear escalas pronósticas que las agrupen.

En la actualidad han surgido escalas breves, simples y con alta sensibilidad como la "ICH score" creada por Hemphill.

Enlace <http://www.mdcalc.com/intracerebral-hemorrhage-ich-score/>

## Conclusiones

No esta clara la estrategia a seguir.

Estudios mal diseñados.

Deben de agruparse en Localización, tamaño, GCS.

No agrupar sistemáticamente todos los tipos de intervención quirúrgica.

Hasta el momento, ninguna intervención en particular es claramente superior.

Una revisión de los estudios aleatorios disponibles, sin embargo indica que las opciones menos invasivas puedan mostrar resultados mejores.

Esto puede ser en particular verdadero en pacientes jóvenes con signos de deterioro neurológico reciente.

Reducir el volumen de hematoma permanece como pilar básico.

Las futuras investigaciones e intervenciones van indudablemente en esta dirección.

Este interés en identificar mecanismos bioquímicos refleja el aumento reciente de publicaciones de investigación de mecanismos celulares y moleculares

Mientras tanto, la responsabilidad permanece sobre el clínico para hacer el juicio terapéutico lo mejor posible.

## Bibliografía

Rincon, Fred, Patrick Lyden, and Stephan A Mayer. 2012. "Relationship Between Temperature, Hematoma Growth, and Functional Outcome After Intracerebral Hemorrhage." *Neurocritical Care* (September 22). doi:10.1007/s12028-012-9779-9. <http://www.ncbi.nlm.nih.gov/pubmed/23001769>.

## Bibliografía recomendada

1. Abilleira S, Montaner J, Molina CA, et al: Matrix metalloproteinase concentration after spontaneous

intracerebral hemorrhage. *J Neurosurg* 99:65-70, 2003

2. Adams RE, Diringer MN: Response to external ventricular drainage in spontaneous intracerebral hemorrhage with hydrocephalus. *Neurology* 50:519-523, 1998
3. Adams RE, Powers WJ: Management of hypertension in acute intracerebral hemorrhage. *Crit Care Clin* 13:131-161, 1997
4. Al-Jarallah A, Al-Rifai MT, Riela AR, et al: Nontraumatic brain hemorrhage in children: etiology and presentation. *J Child Neurol* 15:284-289, 2000
5. Astrup J, Siesjo BK, Symon L: Thresholds in cerebral ischemia the ischemic penumbra. *Stroke* 12:723-725, 1981
6. Auer LM, Deinsberger W, Niederkorn K, et al: Endoscopic surgery versus medical treatment for spontaneous intracerebral hematoma: a randomized study. *J Neurosurg* 70:530-535, 1989
7. Backlund EO, von Holst H: Controlled subtotal evacuation of intracerebral haematomas by stereotactic technique. *Surg Neurol* 9:99-101, 1978
8. Barinagarrementeria F, Mendez A, Vega F: [Cerebral hemorrhage associated with the use of phenylpropanolamine.] *Neurologia* 5:292-295, 1990 (Spn)
9. Batjer HH, Reisch JS, Allen BC, et al: Failure of surgery to improve outcome in hypertensive putaminal hemorrhage. A prospective randomized trial. *Arch Neurol* 47:1103-1106, 1990
10. Bladin CF, Alexandrov AV, Bellavance A, et al: Seizures after stroke: a prospective multicenter study. *Arch Neurol* 57: 1617-1622, 2000
11. Broderick J, Brott T, Kothari R, et al: Very early edema growth not significantly associated with neurologic deterioration in patients with intracerebral hemorrhage. *Stroke* 26:184, 1995 (Abstract)
12. Broderick JP: Intracerebral hemorrhage, in Gorelick PB, Alter M (eds): *Handbook of Neuroepidemiology*. New York: Marcel Dekker, 1994, pp 141-167
13. Broderick JP, Adams HP Jr, Barsan W, et al: Guidelines for the management of spontaneous intracerebral hemorrhage: a statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association. *Stroke* 30: 905-915, 1999
14. Broderick JP, Brott T: Predictions of outcomes after intracerebral hemorrhage. *Stroke* 24:1761, 1993
15. Broderick JP, Brott T, Tomsick T, et al: Intracerebral hemorrhage more than twice as common as subarachnoid hemorrhage. *J Neurosurg* 78:188-191, 1993
16. Broderick JP, Brott T, Tomsick T, et al: The risk of subarachnoid and intracerebral hemorrhages in blacks as compared with whites. *N Engl J Med* 326:733-736, 1992
17. Broderick JP, Brott T, Zuccarello M: Management of intracerebral hemorrhage, in Batjer HH (ed): *Cerebrovascular Disease*. Philadelphia: Lippincott-Raven, 1997, pp 611-627
18. Broderick JP, Brott TG, Duldner JE, et al: Volume of intracerebral hemorrhage. A powerful and easy-to-use predictor of 30-day mortality. *Stroke* 24:987-993, 1993
19. Brott T, Broderick J, Kothari R, et al: Early hemorrhage growth in patients with intracerebral hemorrhage. *Stroke* 28:1-5, 1997
20. Brott T, Thalinger K, Hertzberg V: Hypertension as a risk factor for spontaneous intracerebral hemorrhage. *Stroke* 17: 1078-1083, 1986
21. Cantu C, Arauz A, Murillo-Bonilla LM, et al: Stroke associated with sympathomimetics contained in over-the-counter cough and cold drugs. *Stroke* 34:1667-1672, 2003
22. Caplan LR: General symptoms and signs, in Kase CS, Caplan LR (eds): *Intracerebral Hemorrhage*. Boston: Butterworth-Heinemann, pp 31-43, 1994
23. Cervoni L, Artico M, Salvati M, et al: Epileptic seizures in intracerebral hemorrhage: a clinical and prognostic study of 55 cases. *Neurosurg Rev* 17:185-188, 1994
24. Challa VR, Moody DM, Bell MA: The Charcot-Bouchard aneurysm controversy: impact of a new histologic technique. *J Neuropathol Exp Neurol* 51:264-271, 1992
25. Chaney RK, Taber KH, Orrison WW Jr, et al: Magnetic resonance imaging of intracerebral hemorrhage at different field strengths. *Neuroimaging Clin N Am* 2:25-51, 1992
26. Charcot JM, Bouchard C: 642 Nouvelles

recerches sur la pathogenie de l'hémorragie cerebrale. Arch Physiol Norm Pathol: 110-127, 1868 27. Chen X, Yang H, Czherig Z: A prospective randomized trial of surgical and conservative treatment of hypertensive intracranial haemorrhage. Acta Acad Med Shanghai 19:237-240, 1992 28. Cohen WA, Hayman LA: Computed tomography of intracranial hemorrhage. Neuroimaging Clin N Am 2:75-87, 1992 29. Cushing H: Some experimental and clinical observations concerning states of increased intracranial tension. Am J Med Sci 124:375-400, 1902 30. Dandapani BK, Suzuki S, Kelley RE, et al: Relation between blood pressure and outcome in intracerebral hemorrhage. Stroke 26:21-24, 1995 31. Dennis MS, Burn JP, Sandercock PA, et al: Long-term survival after first-ever stroke: the Oxfordshire Community Stroke Project. Stroke 24:796-800, 1993 32. Doi E, Moriwaki H, Komai N, et al: [Stereotactic evacuation of intracerebral hematomas.] Neurol Med Chir 22:461-467, 1982 (Jpn) 33. Felber S, Auer A, Wolf C, et al: [MRI characteristics of spontaneous intracerebral hemorrhage.] Radiologe 39:838-846, 1999 (Ger) 34. Fernandes HM, Gregson B, Siddique MS, et al: Surgery in intracerebral hemorrhage. The uncertainty continues. Stroke 31: 2511-2516, 2000 35. Fernandes HM, Mendelow AD: Spontaneous intracerebral haemorrhage: a surgical dilemma. Br J Neurosurg 13: 389-394, 1999 36. Findlay JM, Grace MG, Weir BK: Treatment of intraventricular hemorrhage with tissue plasminogen activator. Neurosurgery 32:941-947, 1993 37. Fisher CM: Pathological observations in hypertensive cerebral hemorrhage. J Neuropathol Exp Neurol 30:536-550, 1971 38. Fogelholm R, Eskola K, Kiminkinen T, et al: Anticoagulant treatment as a risk factor for primary intracerebral haemorrhage. J Neurol Neurosurg Psychiatry 55:1121-1124, 1992 39. Fujii Y, Takeuchi S, Sasaki O, et al: Multivariate analysis of predictors of hematoma enlargement in spontaneous intracerebral hemorrhage. Stroke 29:1160-1166, 1998 40. Gallerani M, Trappella G, Manfredini R, et al: Acute intracerebral haemorrhage: circadian and circannual patterns of onset. Acta Neurol Scand 89:280-286, 1994 41. Guridi J, Gallego J, Mornzon F, et al: Intracerebral hemorrhage caused by transmural dissection of the anterior cerebral artery. Stroke 24:1400-1402, 1993 42. Garner TB, Curling OD Jr, Kelly DL Jr, et al: The natural history of intracranial venous angiomas. J Neurosurg 75: 715-722, 1991 43. Griffiths PD, Beveridge CJ, Gholkar A: Angiography in nontraumatic brain haematoma. Acta Radiol 38:797-802, 1997 44. Hacke W, Brott T, Caplan L, et al: Thrombolysis in acute ischemic stroke: controlled trials and clinical experience. Neurology 53 (7 Suppl 4):S3-S14, 1999 45. Halpin SF, Britton JA, Byrne JV, et al: Prospective evaluation of cerebral angiography and computed tomography in cerebral haematoma. J Neurol Neurosurg Psychiatry 57:1180-1186, 1994 46. Hankey GJ, Hon C: Surgery for primary intracerebral hemorrhage: is it safe and effective? A systematic review of case series and randomized trials. Stroke 28:2126-2132, 1997 47. Hart RG, Boop BS, Anderson DC: Oral anticoagulants and intracranial hemorrhage. Facts and hypotheses. Stroke 26: 1471-1477, 1995 48. He J, Whelton PK, Vu B, et al: Aspirin and risk of hemorrhagic stroke: a meta-analysis of randomized controlled trials. JAMA 280:1930-1935, 1998 49. Hickenbottom SL, Grotta JC, Strong R, et al: Nuclear factor-kappaB and cell death after experimental intracerebral hemorrhage in rats. Stroke 30:2472-2478, 1999 50. Hinton DR, Dolan E, Sima AA: The value of histopathological examination of surgically removed blood clot in determining the etiology of spontaneous intracerebral hemorrhage. Stroke 15:517-520, 1984 51. Hirano T, Read SJ, Abbott DF, et al: No evidence of hypoxic tissue on 18F-fluoromisonidazole PET after intracerebral hemorrhage. Neurology 53:2179-2182, 1999 52. Hua Y, Xi G, Keep RF, et al: Complement activation in the brain after experimental intracerebral hemorrhage. J Neurosurg 92:1016-1022, 2000 53. Huang FP, Xi G, Keep RF, et al: Brain edema after experimental intracerebral hemorrhage: role of hemoglobin degradation products. J Neurosurg 96:287-293, 2002 54. Iso H, Jacobs DR Jr, Wentworth D, et al: Serum cholesterol levels and six-year mortality from stroke in 350, 977 men screened for the multiple risk factor intervention trial. N Engl J Med 320:904-910, 1989 55. Italian Acute Stroke Study Group: Haemodilution in acute stroke: results of the Italian haemodilution trial. Lancet 1: 318-321, 1988 56. Iwama T, Ohkuma A, Miwa Y, et al: Brain tumors manifesting as intracranial hemorrhage. Neurol Med Chir 32:130-135, 1992 57. Izumihara A, Ishihara T, Iwamoto N, et al: Postoperative outcome of 37 patients with lobar

intracerebral hemorrhage related to cerebral amyloid angiopathy. *Stroke* 30:29–33, 1999 58. Johnsen SP, Pedersen L, Friis S, et al: Nonaspirin nonsteroidal anti-inflammatory drugs and risk of hospitalization for intracerebral hemorrhage: a population-based case-control study. *Stroke* 34:387–391, 2003 59. Juvela S: Prevalence of risk factors in spontaneous intracerebral hemorrhage and aneurysmal subarachnoid hemorrhage. *Arch Neurol* 53:734–740, 1996 60. Juvela S: Risk factors for impaired outcome after spontaneous intracerebral hemorrhage. *Arch Neurol* 52:1193–1200, 1995 61. Juvela S, Heiskanen O, Poranen A, et al: The treatment of spontaneous intracerebral hemorrhage. A prospective randomized trial of surgical and conservative treatment. *J Neurosurg* 70: 755–758, 1989 62. Juvela S, Hillbom M, Palomaki H: Risk factors for spontaneous intracerebral hemorrhage. *Stroke* 26:1558–1564, 1995 63. Kanaya H, Kuroda K: Development in neurosurgical approaches to hypertensive intracerebral hemorrhage in Japan, in Kaufman HH (ed): *Intracerebral Hematomas*. New York: Raven Press, 1992, pp 197–210 64. Kaneko M, Tanaka K, Shimada T, et al: Long-term evaluation of ultra-early operation for hypertensive intracerebral hemorrhage in 100 cases. *J Neurosurg* 58:838–842, 1983 65. Kaneko T, Sawada T, Niimi T, et al: Lower limit of blood pressure treatment of acute hypertensive intracranial hemorrhage. *J Cereb Blood Flow Metab* 3 (Suppl 1):S51–S52, 1983 66. Karibe H, Niizuma H, Ohyama H, et al: Hepatitis C virus (HCV) infection as a risk factor for spontaneous intracerebral hemorrhage: hospital based case-control study. *J Clin Neurosci* 8:423–425, 2001 67. Kazui S, Minematsu K, Yamamoto H, et al: Predisposing factors to enlargement of spontaneous intracerebral hematoma. *Stroke* 28:2370–2375, 1997 68. Kazui S, Naritomi H, Yamamoto H, et al: Enlargement of spontaneous intracerebral hemorrhage. Incidence and time course. *Stroke* 27:1783–1787, 1996 69. Kirkpatrick JB, Hayman LA: Pathophysiology of intracranial hemorrhage. *Neuroimaging Clin N Am* 2:11–23, 1992 70. Kirollos RW, Tyagi AK, Ross SA, et al: Management of spontaneous cerebellar hematomas: a prospective treatment protocol. *Neurosurgery* 49:1378–1387, 2001 71. Kothari RU, Brott T, Broderick JP, et al: The ABCs of measuring intracerebral hemorrhage volumes. *Stroke* 27:1304–1305, 1996 72. Kuwata N, Kuroda K, Funayama M, et al: Dysautoregulation in patients with hypertensive intracerebral hemorrhage. A SPECT study. *Neurosurg Rev* 18:237–245, 1995 73. Lee KR, Betz AL, Keep RF, et al: Intracerebral infusion of thrombin as a cause of brain edema. *J Neurosurg* 83: 1045–1050, 1995 74. Lee KR, Kawai N, Kim S, et al: Mechanisms of edema formation after intracerebral hemorrhage: effects of thrombin on cerebral blood flow, blood-brain barrier permeability, and cell survival in a rat model. *J Neurosurg* 86:272–278, 1997 75. Linfante I, Llinas RH, Caplan LR, et al: MRI features of intracerebral hemorrhage within 2 hours from symptom onset. *Stroke* 30:2263–2267, 1999 76. Malik GM, Morgan JK, Boulous RS, et al: Venous angiomas: an underestimated cause of intracranial hemorrhage. *Surg Neurol* 30:350–358, 1988 77. Matsumoto K, Hondo H: CT-guided stereotaxic evacuation of hypertensive intracerebral hematomas. *J Neurosurg* 61: 440–448, 1984 78. Matthews MK Jr: Association of Ginkgo biloba with intracerebral hemorrhage. *Neurology* 50:1933–1934, 1998 79. Mayer SA: Ultra-early hemostatic therapy for intracerebral hemorrhage. *Stroke* 34:224–229, 2003 80. Mayer SA, Lignelli A, Fink ME, et al: Perilesional blood flow and edema formation in acute intracerebral hemorrhage. A SPECT study. *Stroke* 29:1791–1798, 1998 81. Mayer SA, Sacco RL, Shi T, et al: Neurologic deterioration in noncomatose patients with supratentorial intracerebral hemorrhage. *Neurology* 44:1379–1384, 1994 82. Maymon R, Fejgin M: Intracranial hemorrhage during pregnancy and puerperium. *Obstet Gynecol Surv* 45:157–159, 1990 83. McEvoy AW, Kitchen ND, Thomas DG: Intracerebral haemorrhage caused by drug abuse. *Lancet* 351:1029, 1998 84. McKissock W, Richardson A, Taylor J: Primary intracerebral hemorrhage. A controlled trial of surgical and conservative treatment in 180 unselected cases. *Lancet* 2:221–226, 1961 85. Mendelow AD: Surgical trial in intracerebral haemorrhage (S.T.I.C.H.). *Acta Neurochir Suppl* 76:521–522, 2000 86. Meyer JS, Bauer RB: Medical treatment of spontaneous intracranial hemorrhage by the use of hypotensive drugs. *Neurology* 12:36–47, 1962 87. Mohadjer M, Braus DF, Myers A, et al: CT-stereotactic fibrinolysis of spontaneous intracerebral hematomas. *Neurosurg Rev* 15:105–110, 1992 88. Montes J, Wong JH, Fayad PB, et al: Stereotactic computed tomographic-guided aspiration and thrombolysis of intracerebral hematoma: protocol and preliminary experience. *Stroke*

31:834-840, 2000 89. Morgenstern LB, Demchuk AM, Kim DH, et al: Rebleeding leads to poor outcome in ultra-early craniotomy for intracerebral hemorrhage. *Neurology* 56:1294-1299, 2001 90. Morgenstern LB, Frankowski RF, Shedden P, et al: Surgical treatment for intracerebral hemorrhage (STICH): a single-center, randomized clinical trial. *Neurology* 51:1359-1363, 1998 91. Naff NJ, Wemmer J, Hoenig-Rigamonti K, et al: A longitudinal study of patients with venous malformations: documentation of a negligible hemorrhage risk and benign natural history. *Neurology* 50:1709-1714, 1998 92. Nath FP, Jenkins A, Mendelow AD, et al: Early hemodynamic changes in experimental intracerebral hemorrhage. *J Neurosurg* 65:697-703, 1986 93. Niizuma H, Shimizu Y, Yonemitsu T, et al: Results of stereotactic aspiration in 175 cases of putaminal hemorrhage. *Neurosurgery* 24:814-819, 1989 94. Niizuma H, Suzuki J, Yonemitsu T, et al: Spontaneous intracerebral hemorrhage and liver dysfunction. *Stroke* 19:852-856, 1988 95. O'Donnell HC, Rosand J, Knudsen KA, et al: Apolipoprotein E genotype and the risk of recurrent lobar intracerebral hemorrhage. *N Engl J Med* 342:240-245, 2000 96. Park P, Fewel ME, Thompson BG, et al: Recombinant activated factor VII for the rapid correction of coagulopathy in nonhemophilic neurosurgical patients. *Neurosurgery* 53:34-39, 2003 97. Passero S, Rocchi R, Rossi S, et al: Seizures after spontaneous supratentorial intracerebral hemorrhage. *Epilepsia* 43: 1175-1180, 2002 98. Patel MR, Edelman RR, Warach S: Detection of hyperacute primary intraparenchymal hemorrhage by magnetic resonance imaging. *Stroke* 27:2321-2324, 1996 99. Pongvarin N, Bhoopat W, Viriyavejakul A, et al: Effects of dexamethasone in primary supratentorial intracerebral hemorrhage. *N Engl J Med* 316:1229-1233, 1987 100. Powers WJ, Adams RE, Yundt KD, et al: Acute pharmacological hypotension after intracerebral hemorrhage does not change cerebral blood flow. *Stroke* 30:242, 1999 (Abstract) 101. Prasad K, Shrivastava A: Surgery for primary supratentorial intracerebral haemorrhage. *Cochrane Database Syst Rev* 2: 2000 102. Qureshi AI, Bliwise DL, Bliwise NG, et al: Rate of 24-hour blood pressure decline and mortality after spontaneous intracerebral hemorrhage: a retrospective analysis with a random effects regression model. *Crit Care Med* 27:480-485, 1999 103. Qureshi AI, Hanel RA, Kirmani JF, et al: Cerebral blood flow changes associated with intracerebral hemorrhage. *Neurosurg Clin N Am* 13:355-370, 2002 104. Qureshi AI, Suri MF, Ostrow PT, et al: Apoptosis as a form of cell death in intracerebral hemorrhage. *Neurosurgery* 52: 1041-1048, 2003 105. Qureshi AI, Wilson DA, Hanley DF, et al: Pharmacological reduction of mean arterial pressure does not adversely effect regional cerebral blood flow and intracranial pressure in experimental intracerebral hemorrhage. *Crit Care Med* 27:965-971, 1999 106. Roda JM, Carceller F, Perez-Higueras A, et al: Encapsulated intracerebral hematomas: a defined entity. Case report. *J Neurosurg* 78:829-833, 1993 107. Rohde V, Rohde I, Reinges MH, et al: Frameless stereotactically guided catheter placement and fibrinolytic therapy for spontaneous intracerebral hematomas: technical aspects and initial clinical results. *Minim Invas Neurosurg* 43:9-17, 2000 108. Rosner MJ, Becker DP: Origin and evolution of plateau waves. Experimental observations and a theoretical model. *J Neurosurg* 60:312-324, 1984 109. Ruiz-Sandoval JL, Cantu C, Barinagarrementeria F: Intracerebral hemorrhage in young people: analysis of risk factors, location, causes, and prognosis. *Stroke* 30:537-541, 1999 110. Schaller C, Rohde V, Meyer B, et al: Stereotactic puncture and lysis of spontaneous intracerebral hemorrhage using recombinant tissue-plasminogen activator. *Neurosurgery* 36: 328-335, 1995 111. Schellinger PD, Fiebach JB, Hoffmann K, et al: Stroke MRI in intracerebral hemorrhage: is there a perihemorrhagic penumbra? *Stroke* 34:1674-1679, 2003 112. Schellinger PD, Jansen O, Fiebach JB, et al: A standardized MRI stroke protocol: comparison with CT in hyperacute intracerebral hemorrhage. *Stroke* 30:765-768, 1999 113. SHEP Cooperative Research Group: Prevention of stroke by antihypertensive drug treatment in older persons with isolated systolic hypertension. Final results of the Systolic Hypertension in the Elderly Program (SHEP). *JAMA* 265: 3255-3264, 1991 114. Siddique MS, Fernandes HM, Wooldridge TD, et al: Reversible ischemia around intracerebral hemorrhage: a singlephoton emission computerized tomography study. *J Neurosurg* 96:736-741, 2002 115. Strandgaard S, Olesen J, Skinhoj E, et al: Autoregulation of brain circulation in severe arterial hypertension. *Br Med J* 1:507-510, 1973 116. Sung CY, Chu NS: Epileptic seizures in

intracerebral haemorrhage. *J Neurol Neurosurg Psychiatry* 52:1273-1276, 1989 117. Suzuki J, Kodama N: Moyamoya disease—a review. *Stroke* 14:104-109, 1983 118. Suzuki K, Kutsuzawa T, Takita K, et al: Clinico-epidemiologic study of stroke in Akita, Japan. *Stroke* 18:402-406, 1987 119. Taylor TN, Davis PH, Torner JC: Projected number of strokes by subtype in the year 2050 in the United States. *Stroke* 29:322 1998 (Abstract) 120. Teernstra OP, Evers SM, Lodder J, et al: Stereotactic treatment of intracerebral hematoma by means of a plasminogen activator: a multicenter randomized controlled trial (SICHPA). *Stroke* 34:968-974, 2003 121. Tellez H, Bauer RB: Dexamethasone as treatment in cerebrovascular disease. 1. A controlled study in intracerebral hemorrhage. *Stroke* 4:541-546, 1973 122. Thrift AG, McNeil JJ, Forbes A, et al: Risk factors for cerebral hemorrhage in the era of well-controlled hypertension. Melbourne Risk Factor Study (MERFS) Group. *Stroke* 27: 2020-2025, 1996 123. Tuhim S, Horowitz DR, Sacher M, et al: Volume of ventricular blood is an important determinant of outcome in supratentorial intracerebral hemorrhage. *Crit Care Med* 27:617-621, 1999 124. Uemura K, Higano S, Shishido F, et al: Regional cerebral blood flow and oxygen metabolism in patients with hypertensive intracerebral hemorrhage. A PET study in 23 patients. *J Cereb Blood Flow Metab* 7 (Suppl 1):S32, 1987 (Abstract) 125. van Loon J, Van Calenbergh F, Goffin J, et al: Controversies in the management of spontaneous cerebellar haemorrhage. A consecutive series of 49 cases and review of the literature. *Acta Neurochir* 122:187-193, 1993 126. Vinters HV: Cerebral amyloid angiopathy. A critical review. *Stroke* 18:311-324, 1987 127. Wagner KR, Xi G, Hua Y, et al: Ultra-early clot aspiration after lysis with tissue plasminogen activator in a porcine model of intracerebral hemorrhage: edema and blood—brain barrier protection. *J Neurosurg* 90:491-498, 1999 128. Weir CJ, Murray GD, Adams FG, et al: Poor accuracy of scoring systems for differential clinical diagnosis of intracranial haemorrhage and infarction. *Lancet* 344:999-1002, 1994 129. Xi G, Keep RF, Hoff JT: Pathophysiology of brain edema formation. *Neurosurg Clin N Am* 13:371-383, 2002 130. Xi G, Reiser G, Keep RF: The role of thrombin and thrombin receptors in ischemic, hemorrhagic, and traumatic brain injury: deleterious or protective? *J Neurochem* 84:3-9, 2003 131. Xi G, Wagner KR, Keep RF, et al: Role of blood clot formation on early edema development after experimental intracerebral hemorrhage. *Stroke* 29:2580-2586, 1998 132. Yanaka K, Meguro K, Fujita K, et al: Immediate surgery reduces mortality in deeply comatose patients with spontaneous cerebellar hemorrhage. *Neurol Med Chir* 40:295-300, 2000 133. Yang GY, Betz AL, Chenevert TL, et al: Experimental intracerebral hemorrhage: relationship between brain edema, blood flow, and blood-brain barrier permeability in rats. *J Neurosurg* 81:93-102, 1994 134. Yoshida Y, Yoshimoto T, Shirane R, et al: Clinical course, surgical management, and long-term outcome of moyamoya patients with rebleeding after an episode of intracerebral hemorrhage: an extensive follow-up study. *Stroke* 30:2272-2276, 1999 135. Yu YL, Kumana CR, Lauder IJ, et al: Treatment of acute cerebral hemorrhage with intravenous glycerol. A double-blind, placebo-controlled, randomized trial. *Stroke* 23:967-971, 1992 136. Zazulia AR, Dinger MN, Videen TO, et al: Hypoperfusion without ischemia surrounding acute intracerebral hemorrhage. *J Cereb Blood Flow Metab* 21:804-810, 2001 137. Zhu XL, Chan MS, Poon WS: Spontaneous intracranial hemorrhage: which patients need diagnostic cerebral angiography? A prospective study of 206 cases and review of the literature. *Stroke* 28:1406-1409, 1997 138. Zuccarello M, Brott T, Derex L, et al: Early surgical treatment for supratentorial intracerebral hemorrhage: a randomized feasibility study. *Stroke* 30:1833-1839, 1999.

From:

<http://www.neurocirugiacontemporanea.com/> - **Neurocirugía Contemporánea** ISSN 1988-2661

Permanent link:

[http://www.neurocirugiacontemporanea.com/doku.php?id=tratamiento\\_de\\_la\\_hemorragia\\_cerebral](http://www.neurocirugiacontemporanea.com/doku.php?id=tratamiento_de_la_hemorragia_cerebral)

Last update: **2019/09/26 22:25**

